



A	250W HPS
B	400W HPS

DRAWN BY: LG	DATE: 9/4/03	APPROVED BY: CP
REVISED BY:	DATE:	APPROVED BY:

TITLE:
 250W OR 400W HPS
 LIGHT ON 14' MAST
 ARM TYPICAL
 INSTALLATION

GARLAND
 POWER & LIGHT
 STANDARD NO.:
 OH-1005

CONSTRUCTION STANDARD NO. : OH-1005A**TITLE: 250W HPS LUMINAIRE ON 14' ARM**

REV. DATE: 9/16/2003

PIC. #	DESCRIPTION	IBM NO.	QTY.
1	BRACKET 14' UPSWEEP MAST ARM	528-10-80360	1
2	LUMINAIRE, 250 WATT, HIGH PRESSURE SODIUM W/ SHORTING CAP, 120VX240V	528-50-17000	1
3	LAMP IGNITRON 250W HPS	528-40-12130	1
4	CONTROLLER PHOTOELECTRIC 1000	528-65-12070	1
5	BOLT MACHINE 5/8" X 14" W/NUT	285-08-10788	1
6	NUT WASHER 5/8" THREAD JOSLYN	285-08-14674	1
7	BOLT DOUBLE ARMING 5/8" X 14"	285-08-21552	1
8	#12 CABLE TYPE SIS STR SWBD 500 FT ROLL- truck stock	280-16-13605	20

CONSTRUCTION STANDARD NO. : OH-1005B**TITLE: 400W HPS LUMINAIRE ON 14' ARM**

REV. DATE: 5/21/2002

PIC. #	DESCRIPTION	IBM NO.	QTY.
1	BRACKET 14' UPSWEEP MAST ARM	528-10-80360	1
2	LUMINAIRE, 400 WATT HIGH PRESS. SODIUM W/ SHORTING CAP, 120V X 240V	528-50-17005	1
3	LAMP HIGH PRESSURE SODIUM 400W	528-40-12140	1
4	CONTROLLER PHOTOELECTRIC 1000	528-65-12070	1
5	BOLT MACHINE 5/8" X 14" W/NUT	285-08-10788	1
6	NUT WASHER 5/8" THREAD JOSLYN	285-08-14674	1
7	BOLT DOUBLE ARMING 5/8" X 14"	285-08-21552	1
8	#12 CABLE TYPE SIS STR SWBD 500 FT ROLL- truck stock	280-16-13605	20