



A	44"X24"X52"
B	54"X54"X64"

ENGINEERING NOTE:

1. CUBICAL TO BE ANCHORED TO PAD

DRAWN BY:	DATE:	APPROVED BY: CP
REVISED BY:	DATE:	APPROVED BY:

TITLE:

SECONDARY CUBICLE

GARLAND
POWER & LIGHT

STANDARD NO.:

UG-2440

CONSTRUCTION STANDARD NO. : UG-2440A

TITLE: SECONDARY CUBICAL (SMALL)

REV. DATE: 5/21/2002

PIC. #	DESCRIPTION	IBM NO.	QTY.
0	#2 CU BARE HD 7 STR	280-09-21051	15
0	CLAMP GROUND ROD 5/8"	285-13-16025	1
0	#2 HOMAC LUG - AL	285-54-17537	3
0	BOLT HEX HD 1/2" X 2" STN/STL	320-09-11261	48
0	NUT HEX 1/2" STN/STL	320-09-13051	48
0	WASHER BELLEVILLE 9/16" STN/ST	320-09-30130	96
1	CONNECTOR CUBICAL 12 GAUGE STEEL 44"X24"X52"	286-27-30050	1

CONSTRUCTION STANDARD NO. : UG-2440B

TITLE: SECONDARY CUBICAL (LARGE)

REV. DATE: 5/21/2002

PIC. #	DESCRIPTION	IBM NO.	QTY.
0	#2 CU BARE HD 7 STR	280-09-21051	15
0	CLAMP GROUND ROD 5/8"	285-13-16025	1
0	#2 HOMAC LUG - AL	285-54-17537	3
0	BOLT HEX HD 1/2" X 2" STN/STL	320-09-11261	48
0	NUT HEX 1/2" STN/STL	320-09-13051	48
0	WASHER BELLEVILLE 9/16" STN/ST	320-09-30130	48
1	CONNECTOR CUBICAL 54" X 54" X 64"	286-27-30075	1