



\*\*ENGINEERING NOTES:  
 PHASE, SIZE AND TYPE OF CONNECTOR  
 TO BE SPECIFIED

TITLE:

TWO PHASE RISER

**GARLAND**  
 POWER & LIGHT

STANDARD NO.:

UG-2717

DRAWN BY:	DATE:	APPROVED BY: CP
-----------	-------	--------------------

REVISED BY:	DATE:	APPROVED BY:
-------------	-------	--------------

**CONSTRUCTION STANDARD NO. : UG-2717****TITLE: TWO PHASE RISER**

REV. DATE: 5/8/2003

PIC. #	DESCRIPTION	IBM NO.	QTY.
1	CONDUIT RIGID 3" GALV 10' LENGTH	285-14-14110	6
2	BOLT MACHINE 5/8" X 14" W/NUT	285-08-10788	4
3	CUTOUT 100 AMP 15 KV	286-19-10250	2
4	ARRESTOR LIGHTING MOV TYPE 10KV, POLYMER	286-04-10010	2
5	TERMINATION KIT, FOR 2/0 PRIMARY CABLE	285-19-19199	2
6	BRACKET "T" 3-POSITION 30" FOR WOOD POLES	285-38-11535	1
7	SCREW LAG SQ HEAD 1/2" X 4" GA	285-08-14120	4
8	CLAMP CONDUIT GROUNDING 3"	285-35-16015	2
9	BELL END 3" PVC ELECTRIC	285-14-71775	2
10	STRAP 3" FOR 3" CONDUIT W/2 BOLTS ALUMAFORM STK-2	285-14-11550	6
11	BRACKET, CONDUIT EXTENSION SUPPORT 24", ALUMAFORM 6CSO-24	285-38-11526	3
12	SEALING COMPOUND FOR RISER-ELECTRICAL 12/CASE	010-24-11255	1
13	BIRD GUARD COVER, FARGO GS-555	285-39-24101	2
14	CLAMP HOTLINE #8 SOLID TO #2/0 STR COPPER	285-13-16210	2
15	FUSE LINK, TYPE K, 80 AMP.,	285-32-50080	2

16	ROD GROUNDING 5/8" X 8'	285-36-15108	1
17	CLAMP GROUND ROD 5/8"	285-13-16025	1
18	CONNECTOR CRIMPIT CU. #6 - #6	285-18-17010	1
19	#2 CU BARE HD 7 STR	280-09-21051	12
20	CABLE 5 KV #6 SOLID CU. @ 250 FT. REELS	280-42-50026	6
21	CABLE, 5 KV # 2 AWG OKOGUARD	280-42-50005	10
22	NUT WASHER 5/8" THREAD JOSLYN	285-08-14674	4
23	ELBOW RIGID CONDUIT 3" 90 DEGREE 36	285-14-10301	2
24	CONNECTOR CRIMPIT COPPER #2 STR TO #2 STR BURNDY YC2C2	285-18-17000	2