


LOWEST
SECONDARY
ATTACHMENT



HANG CONTROLLER ON
POLE AWAY FROM LIGHTS

GRADE

A	100A - 240V
B	60A - 480V
C	100A - 480V

TITLE:

MEDIAN STREET
LIGHT RISER

GARLAND
POWER & LIGHT

APPROVED:

STANDARD NO.:
UG - 2921

REVISED:	DATE:	APPROVED:
		CP

CONSTRUCTION STANDARD NO. : UG-2921A**TITLE: MEDIAN STREET LIGHT RISER 240V 100 AMP**

REV. DATE: 5/21/2002

PIC. #	DESCRIPTION	IBM NO.	QTY.
1	CONTROLLER PHOTOELECTRIC 1000	528-65-12070	1
2	RELAY ST LIGHT TWO POLE 100 AMP 120/240 V	528-72-13010	1
3	BOLT MACHINE 5/8" X 12" W/NUT	285-08-10786	2
4	BOLT MACHINE 5/8" X 14" W/NUT	285-08-10788	3
5	STRAP 2" FOR 2" CONDUIT W/2 BOLTS ALUMAFORM STK-2	285-14-11570	3
6	SERVICE HEAD 2IN - NON STOCK ITEM	000-00-00036	1
7	SCREW LAG SQ HEAD 1/2" X 4" GA	285-08-14120	3
8	NUT WASHER 5/8" THREAD JOSLYN	285-08-14674	5
9	CONDUIT RIGID 2" GALV 10' LENGTH	285-14-14095	3
10	CLAMP CONDUIT GROUNDING 2"	285-35-16010	1
11	BRACKET, CONDUIT EXTENSION SUPPORT 12", ALUMAFORM 6CSO-12	285-38-11525	3
12	ROD GROUNDING 5/8" X 8'	285-36-15108	1

CONSTRUCTION STANDARD NO. : UG-2921B

TITLE: MEDIAN STREET LIGHT RISER 480V 60 AMP

REV. DATE: 5/21/2002

PIC. #	DESCRIPTION	IBM NO.	QTY.
1	CONTROLLER PHOTOELECTRIC 1000	528-65-12070	1
2	RELAY ST LIGHT TWO POLE 60 AMP 240/480 V	528-72-13020	1
3	BOLT MACHINE 5/8" X 12" W/NUT	285-08-10786	2
4	BOLT MACHINE 5/8" X 14" W/NUT	285-08-10788	3
5	STRAP 2" FOR 2" CONDUIT W/2 BOLTS ALUMAFORM STK-2	285-14-11570	3
6	SERVICE HEAD 2IN - NON STOCK ITEM	000-00-00036	1
7	SCREW LAG SQ HEAD 1/2" X 4" GA	285-08-14120	3
8	NUT WASHER 5/8" THREAD JOSLYN	285-08-14674	5
9	CONDUIT RIGID 2" GALV 10' LENGTH	285-14-14095	3
10	CLAMP CONDUIT GROUNDING 2"	285-35-16010	1
11	BRACKET, CONDUIT EXTENSION SUPPORT 12", ALUMAFORM 6CSO-12	285-38-11525	3
12	ROD GROUNDING 5/8" X 8'	285-36-15108	1