



ENGINEERING NOTE:
 NEW CONSTRUCTION
 ADD PEDESTAL & #6
 SPLIT BOLT

INSTALL FUSE KIT
 IN PEDESTAL

A	250W
B	400W

TITLE:

STYLE 2
 THOROUGH FARE
 DOUBLE SHOEBOX
 HPS

GARLAND
 POWER & LIGHT

STANDARD NO.:

UG-2925

DRAWN BY:	DATE:	APPROVED BY:
		CP
REVISD BY:	DATE:	APPROVED BY:
GL	3/22/05	

CONSTRUCTION STANDARD NO. : UG-2925A**TITLE: POLE, 30' STREET LIGHT THOROUGHFARE SQUARE -
SHOEBOX ONLY - 250 WATT HPS - DOUBLE ARMS**

REV. DATE: 8/1/2005

PIC. #	DESCRIPTION	IBM NO.	QTY.
1	POLE, STREET LIGHT, TRAFFIC 30' SQUARE DÉCOR	528-67-75500	1
2	LUMINAIRE, STREET DÉCOR 250 WATT HPS SHOEBOX 2	528-50-20100	2
3	LAMP IGNITRON 250W HPS	528-40-12130	2
4	FUSE, NON-RENEWABLE, 8 AMP. 600 VOLT	285-32-21500	2
5	CONNECTOR FUSED KIT	285-32-60100	2
6	CONTROLLER PHOTOELECTRIC 1000	528-65-12070	2
7	#12 CABLE TYPE SIS STR SWBD 500 FT ROLL- truck stock	280-16-13605	200

CONSTRUCTION STANDARD NO. : UG-2925B**TITLE: POLE, 30' STREET LIGHT THOROUGHFARE SQUARE -
SHOEBOX ONLY - 400 WATT HPS - DOUBLE ARMS**

REV. DATE: 3/1/2005

PIC. #	DESCRIPTION	IBM NO.	QTY.
1	POLE, STREET LIGHT, TRAFFIC 30' SQUARE DÉCOR	528-67-75500	1
2	LUMINAIRE, STREET DÉCOR 400 WATT HPS SHOEBOX 2	528-50-20101	2
3	LAMP HIGH PRESSURE SODIUM 400W	528-40-12140	2
4	FUSE, NON-RENEWABLE, 8 AMP. 600 VOLT	285-32-21500	2
5	CONNECTOR FUSED KIT	285-32-60100	2
6	CONTROLLER PHOTOELECTRIC 1000	528-65-12070	2
7	#12 CABLE TYPE SIS STR SWBD 500 FT ROLL- truck stock	280-16-13605	200